

A


B

C

D

E

Specifications according to DIN 6913 - FORM B



INPIRO reserves all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. Copyright INPIRO Ltd. *GT13DM and Alstom are registered trademarks of Alstom Technology Ltd. INPIRO is not in any way affiliated with Alstom

	WASHER	SAFETY RING
MATERIAL	STEEL	Cu/Zn
SURFACE CONDITION	Blank	Blank

$d1 = 6.1$ [mm]
 $d2 = 9.5$ [mm]
 $d3 = 12$ [mm]
 $h1 = 4.5$ [mm]
 $h2 = 4.1$ [mm]
 $r = 0.5$ [mm]
 $s = 2.25$ [mm]

	Karlo Marcius 15.2.2024.	Index		Index		
Checked by	Marko Blazona 16.2.2024.					
Approved by	Matija Kolonic 16.2.2024.					
Machining tolerances, free dimensions acc. to EN ISO 2768(m;K)		Projection:		Scale:	Format:	
Welding tolerances, free dimensions acc. to EN ISO 13920(A;E)				1:1	A4	
Symbols for surface quality according to EN ISO 1302					Sheet No.: 1	
					Sheets: 1	
		Component Name: SPRING LOCK WASHER WITH SAFETY RING DIN6913			Material:	Equivalent to GT Type: GT13DM
					Mass [kg]: 0.1	GT Section: JOURNAL BEARING
					Component No.: D00007993	
CREO Model ID: D00007993		CREO Drawing ID: D00007993				

A

B

C

D

E