




TENERS






Table according to ISO 4762:

dimensions in mm

Thread d		M1,6	M2	M2,5	M3	M4	M5	M6
P		0,35	0,4	0,45	0,5	0,7	0,8	1
b		15	16	17	18	20	22	24
dk	max.	3,00	3,80	4,50	5,50	7,00	8,50	10,00
	max. for grooved head	3,14	3,98	4,68	5,68	7,22	8,72	10,22
	min.	2,86	3,62	4,32	5,32	6,78	8,28	9,78
da	max.	2	2,6	3,1	3,6	4,7	5,7	6,8
ds	max.	1,60	2,00	2,50	3,00	4,00	5,00	6,00
	min.	1,46	1,86	2,36	2,86	3,82	4,82	5,82
e	min.	1,733	1,733	2,303	2,873	3,443	4,583	5,723
h	max.	0,34	0,51	0,51	0,51	0,6	0,6	0,68
k	max.	1,60	2,00	2,50	3,00	4,00	5,00	6,0
	min.	1,46	1,86	2,36	2,86	3,82	4,82	5,7
r	min.	0,1	0,1	0,1	0,1	0,2	0,2	0,25
s	nominal	1,5	1,5	2	2,5	3	4	5
	max.	1,58	1,58	2,08	2,58	3,08	4,095	5,14
	min.	1,52	1,52	2,02	2,52	3,02	4,020	5,02
t	min.	0,7	1	1,1	1,3	2	2,5	3
v	max.	0,16	0,2	0,25	0,3	0,4	0,5	0,6

Thread d			M1,6		M2		M2,5	
l			ls	lg	ls	lg	ls	lg
nominal	min.	max.	min.	max.	min.	max.	min.	max.
2,5	2,3	2,7	full thread					
3	2,8	3,2	full thread					
4	3,76	4,24	full thread					
5	4,76	5,24	full thread					
6	5,76	6,24	full thread					
8	7,71	8,29	full thread					
10	9,71	10,29	full thread					
12	11,65	12,35	full thread					
16	15,65	16,35	full thread					
20	19,58	20,42			2	4	full thread	
25	24,58	25,42					5,75	8
30	29,58	30,42						
35	34,5	35,5						
40	39,5	40,5						
45	44,5	45,5						
50	49,5	50,5						
55	54,4	55,6						
60	59,4	60,6						

Note:

damages for loss of profits, business interruption or loss of information) resulting or arising directly or indirectly from your use of or inability to use this website.

EU Fasteners Portal, s.r.o.

Novobranská 20
602 00 Brno
Czech republic
(+420) 608 889 223
IČ: 04264100

© 2014 Fasteners.eu, All rights reserved

(<https://navrcholu.cz/Statistika/-1/>) (<https://www.toplist.cz>)



Install & Configure Chrome

Secure your network and endpoints with built-in malware & phishing protection. Google